```
3 (STARCH (5A) PROTEIN) (10A) (STRENGTH OR ADHES? OR GLUE OR
L7
STI
               FFNESS OR PERMEAB? OR ELASTIC?) (10A) (CARDBOARD OR PAPER? )
               ND SIZ?
FILE 'USPAT' ENTERED AT 07:45:11 ON 24 NOV 1998
                  WELCOME
                                  ΤО
                                        T H E
           U.S. PATENT
                                  TEXT FILE
=> s (162/174 or 162/175 or 162/135)/ccls and (flour or (starch (10a)
protein))
           169 162/174/CCLS
           529 162/175/CCLS
           400 162/135/CCLS
         16576 FLOUR
         75992 STARCH
         66415 PROTEIN
          2586 STARCH (10A) PROTEIN
L1
            41 (162/174 OR 162/175 OR 162/135)/CCLS AND (FLOUR OR (STARCH
(10
               A) PROTEIN))
* * * * * RECONNECTED TO U.S. Patent & Trademark Office * * * * * *
SESSION RESUMED IN FILE 'USPAT' AT 13:26:46 ON 24 NOV 1998
FILE 'USPAT' ENTERED AT 13:26:46 ON 24 NOV 1998
=> s size press (5a) size or coating or sizing and (106 or 428 or 162)/clas
        888346 SIZE
        254698 PRESS
          1146 SIZE PRESS
                 (SIZE (W) PRESS)
       888346 SIZE
          1146 SIZE PRESS (5A) SIZE
        300573 COATING
         29754 SIZING
         55767 106/CLAS
        113690 428/CLAS
         20369 162/CLAS
L1
        302343 SIZE PRESS (5A) SIZE OR COATING OR SIZING AND (106 OR 428
OR
               162) /CLAS
=> s (size press (5a) size or coating or sizing) and (106 or 428 or 162)/clas
        888346 SIZE
        254698 PRESS
          1146 SIZE PRESS
                 (SIZE (W) PRESS)
        888346 SIZE
          1146 SIZE PRESS (5A) SIZE
        300573 COATING
         29754 SIZING
         55767 106/CLAS
        113690 428/CLAS
         20369 162/CLAS
```

```
50947 (SIZE PRESS (5A) SIZE OR COATING OR SIZING) AND (106 OR 42
L2
8 0
               R 162)/CLAS
=> s (size press (5a) (size or coating or sizing)) and (106 or 428 or
162)/clas
        888346 SIZE
        254698 PRESS
          1146 SIZE PRESS
                 (SIZE (W) PRESS)
        888346 SIZE
        300573 COATING
         29754 SIZING
          1146 SIZE PRESS (5A) (SIZE OR COATING OR SIZING)
         55767 106/CLAS
        113690 428/CLAS
        20369 162/CLAS
L3
           689 (SIZE PRESS (5A) (SIZE OR COATING OR SIZING)) AND (106 OR
428
                OR 162)/CLAS
=> s size press (5a) (size or coating or sizing) and (106 or 428 or 162)/clas
        888346 SIZE
        254698 PRESS
          1146 SIZE PRESS
                 (SIZE (W) PRESS)
        888346 SIZE
        300573 COATING
         29754 SIZING
          1146 SIZE PRESS (5A) (SIZE OR COATING OR SIZING)
         55767 106/CLAS
        113690 428/CLAS
         20369 162/CLAS
L4
           689 SIZE PRESS (5A) (SIZE OR COATING OR SIZING) AND (106 OR 42
8 0
               R 162)/CLAS
=> s size press (5a) (applied or introduced) (5a) (size or coating or sizing)
and (106 or 428 or 162)/clas
        888346 SIZE
        254698 PRESS
          1146 SIZE PRESS
                 (SIZE (W) PRESS)
       1099859 APPLIED
        422405 INTRODUCED
        888346 SIZE
        300573 COATING
         29754 SIZING
           197 SIZE PRESS (5A) (APPLIED OR INTRODUCED) (5A) (SIZE OR COATI
NG
               OR SIZING)
         55767 106/CLAS
        113690 428/CLAS
         20369 162/CLAS
           123 SIZE PRESS (5A) (APPLIED OR INTRODUCED) (5A) (SIZE OR COATI
L5
NG
               OR SIZING) AND (106 OR 428 OR 162)/CLAS
```

```
=> s size press (5a) (applied or introduced) (5a) (size or coating or sizing)
and (106/125.1 or 162/174 or 162/175 or 162/135 or 162/158)/ccls
        888346 SIZE
        254698 PRESS
          1146 SIZE PRESS
                 (SIZE (W) PRESS)
       1099859 APPLIED
        422405 INTRODUCED
        888346 SIZE
        300573 COATING
         29754 SIZING
           197 SIZE PRESS (5A) (APPLIED OR INTRODUCED) (5A) (SIZE OR COATI
NG
               OR SIZING)
            90 106/125.1/CCLS
           169 162/174/CCLS
           529 162/175/CCLS
           400 162/135/CCLS
           744 162/158/CCLS
L6
           33 SIZE PRESS (5A) (APPLIED OR INTRODUCED) (5A) (SIZE OR COATI
NG
               OR SIZING) AND (106/125.1 OR 162/174 OR 162/175 OR 162/13
5 0
```

R 162/158)/CCLS